



Wide Range of Transducers



ISO 13485



**SonoScape**

Yizhe Building, Yuquan Road, Shenzhen, 518051, China

Tel: +86-755-26722860 Fax: +86-755-26722850

E-mail: market@sonoscape.net www.sonoscape.com

**SonoScape**

Caring for Life through Innovation



**Veterinary  
Ultrasound Systems**

## Premium Veterinary HCU with Research Tools

### S8V

- + Comprehensive research analysis kits: Stress echo, TDI, Steer M, Color M, PW/CW, HPRF
- + State-of-the-art technologies: Multi-beam Processing, Triplex,  $\mu$ -Scan, B-steer, Panoramic Imaging
- + Professional veterinary software: Canine, Feline, Bovine, Equine, Ovine
- + Specific veterinary transducers: High frequency Micro-convex probe with CW function, Phased Array, Convex, Linear, Endocavity Linear probe
- + Specialized veterinary design: anti-dust, anti-glare
- + HCU design with two transducer sockets
- + Built-in high capacity Li-ion battery
- + Digital archiving and full connectivity
- + Convertible trolley design with high mobility



## Full Function Veterinary HCU Without Compromise

### S6V

- + HCU color system supports full imaging modes: 2D, Color Doppler, PW, CW, HPRF
- + Advanced imaging technologies:  $\mu$ -Scan, THI, Compound Imaging, Trapezoidal Imaging
- + Single button optimization function for 2D and Doppler
- + Dedicated veterinary full configured software package
- + 15" high definition LCD with large imaging area
- + Two transducer sockets compatible with most dedicated veterinary special purpose probes
- + Full patient database solutions: DICOM 3.0, AVI/JPG, USB 2.0, PDF report
- + Specially designed suitcase for outfield transportation



## Fully-integrated Solutions for Veterinary Imaging



### S11V

- + Full imaging modes: 2D, Color Doppler, DPI, PW, CW(optional)
- + Professional veterinary calculation package, especially for reproductive diagnosis
- + High density linear array for endocavity reproductive application and micro-convex for both cardiac and abdominal diagnosis
- + Compact and agile trolley design
- + 15" anti-dust LCD screen with an articulated arm
- + Three transducer sockets available for comprehensive animal clinical applications
- + Customized working setting based on veterinarians' style and habit
- + Various data solutions: 320G HDD, Internal DVD, USB 2.0, Video printer, USB printer, DICOM 3.0



## Compassionate Animal Ultrasound Care



### S2V

- + Stable imaging technologies:  $\mu$ -Scan (optional), Compound Imaging, THI
- + Brand-new patient file management speeds up your workflow
- + Various animal diagnostic applications: Canine, Feline, Bovine, Equine, Ovine, Suidae
- + Powerful veterinary measurement and calculation software package
- + Specific veterinary transducers: Micro-convex, Convex, Linear, Endocavity Linear, Phased Array probe
- + Two universal transducer sockets for hot swap
- + Intuitive anti-dust operation panel with standard PC keyboard
- + Abundant peripherals for efficient data management

## Capable B/W Ultrasound for Animal Care



### **S2V BW**

- + Clear 2D image with optional color Doppler function
- + Full imaging modes: B, Dual B, Quad B, M, B+M; support PW, HPRF, CW(optional)
- + Professional veterinary software: Canine, Feline, Bovine, Equine, Ovine, Suidae
- + Large imaging area in 15" LCD with 170° viewing angle
- + Full-size PC keyboard allowing for comfortable input
- + Reliable veterinary design such as anti-dust control panel
- + Smart patient file management styled for user comfort
- + Internal battery for 90 minutes continuous scanning

## Best Choice for Veterinarians



### **A6V**

- + 12" angle adjustable LCD with chroma function
- + 6kg in weight with optional mobile trolley
- + THI technology with Five Variable Frequencies
- + M-tuning single button optimization function
- + Clip-board function for quick patient image review
- + Professional veterinary software package
- + Specialized veterinary transducers: Micro-convex, Convex, Linear, Endocavity Linear probe
- + Optional built-in battery for 3-hour continuous scanning

## Easy-of-use and Stable Performance



### **A5V**

- + Lightweight architecture with two standard transducer sockets
- + Angle adjustable 12" LCD anti-glare monitor
- + Dedicated veterinary software optimized for a wide range of basic animal clinical scanning
- + Specific veterinary transducers: Micro-convex, Convex, Linear, Endocavity Linear probe
- + High documentation ability: USB 2.0, JPG, WMV, DICOM 3.0, etc
- + Optional built-in battery for 3-hour continuous scanning